ELSEVIER

Talanta 55 (2001) 1237–1245

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 55 (2001)

No. 1 **3 August 2001**

Review

Literature survey of on-line elemental speciation in aqueous solutions
A.K. Das (West Bengal, India), M. de la Guardia and M.L. Cervera (Burjassot, Spain) 1

Regular papers

The specificity of a chlorphenamine–imprinted polymer and its application
W. Chen, F. Liu (Beijing, PR China), X. Zhang (Shangdong, PR China), K.A. Li and S. Tong (Beijing, PR China) 29

Determination of $LiCF_3SO_3$ and γ-$LiAlO_2$ in composite PEO-based polymer electrolytes by flame atomic absorption spectrometry
S. Scaccia and S. Passerini (Rome, Italy) 35

Spectrophotometric determination of lead in industrial, environmental, biological and soil samples using 2,5-dimercapto-1,3,4-thiadiazole
M. Jamaluddin Ahmed and M.-A. Mamun (Chittagong, Bangladesh) 43

Kinetic-spectrophotometric determination of trace amounts of As(III) based on its inhibitory effect on the redox reaction between bromate and hydrochloric acid
A. Afkhami, T. Madrakian and A.A. Assl (Hamadan, Iran) 55

Electrochemistry and electrochemiluminescence of stable tris(2,2′-bipyridyl)ruthenium(II) monolayer assembled on benzene sulfonic acid modified glassy carbon electrode
H. Wang, G. Xu and S. Dong (Jilin, People's Republic of China) 61

Polyoxyethylene alkyl ether nonionic surfactants: physicochemical properties and use for cholesterol determination in food
A. Berthod (Villeurbanne, France), S. Tomer (Cincinnati, OH, USA) and J.G. Dorsey (Tallahassee, FL, USA) 69

Preconcentration of lanthanum, europium and ytterbium with tribromoarsenazo–cetylpyridinium bromide supported on microcrystalline naphthalene and their determinations by inductively coupled plasma atomic emission spectrometry
B. Cai, B. Hu, H. Xiong, Z. Liao, L. Mao and Z. Jiang (Wuhan, People's Republic of China) 85

The determination of DNA based on light-scattering of a complex formed with histone
X. Du, S. Sasaki, H. Nakamura and I. Karube (Tokyo, Japan) 93

Kinetic determination of ascorbic acid by the BZ oscillating chemical system
J. Gao, H. Yang, X. Liu, J. Ren, X. Lu, J. Hou and J. Kang (Lanzhou, People's Republic of China) . . . 99

Analysis of metallothioneins by the modified Brdička procedure
B. Raspor, M. Paić and M. Erk (Zagreb, Croatia) 109

Flow injection on-line dilution for multi-element determination in human urine with detection by inductively coupled plasma mass spectrometry
J. Wang, E. Harald Hansen (Lyngby, Denmark) and B. Gammelgaard (Copenhagen, Denmark) 117

On-line dilution flow injection manifold for the selective spectrophotometric determination of ascorbic acid based on the Fe(II)-2,2′-dipyridyl-2-pyridylhydrazone complex formation
D.G. Themelis, P.D. Tzanavaras and F.S. Kika (Thessaloniki, Greece) 127

Determination of arsenic in wheat flour by electrothermal atomic absorption spectrometry using a continuous precipitation-dissolution flow system
M.M. González, M. Gallego and M. Valcárcel (Córdoba, Spain) 135
Investigation on simultaneous analysis of multicomponent polycyclic aromatic hydrocarbon mixtures in water samples: a simple synchronous fluorimetric method
D. Patra and A.K. Mishra (Chennai, India) 143
Sequential extraction procedure for speciation of inorganic selenium in emissions and working areas
A. Profumo, G. Spini, L. Cucca and B. Mannucci (Pavia, Italy) 155
Spectrofluorimetric determination of copper(II) by its static quenching effect on the fluorescence of 4,5-dihydroxy-1,3-benzenedisulfonic acid
H.-S. Kim and H.-S. Choi (Suwon, South Korea) 163
Wavelet transform-based Fourier deconvolution for resolving oscillographic signals
X. Zhang, J. Zheng and H. Gao (Xi'an, People's Republic of China) 171
Detection of phenolic compounds in flow systems based on tyrosinase-modified reticulated vitreous carbon electrodes
N. Peña, A.J. Reviejo and J.M. Pingarrón (Madrid, Spain) 179
Oxidation of ferulic acid by laccase: identification of the products and inhibitory effects of some dipeptides
F. Carunchio, C. Crescenzi, A.M. Girelli, A. Messina and A.M. Tarola (Rome, Italy) 189
Flow injection potentiometry of primary and interfering ion with a gold complex ion-exchange membrane
C. Sánchez-Pedreño, J.A. Ortuño and J. Hernández (Murcia, Spain) 201

Short communication
Application of derivative spectrophotometry to determination of flavonoid mixtures
I. Baranowska and D. Raróg (Gliwice, Poland) 209

Book review 213

Announcement
The division of analytical chemistry of the federation of European chemical societies
M. Valcárcel (Córdoba, Spain) and E.-H. Korte (Berlin-Adlershof, Germany) 215

Announcement 217

Calendar of forthcoming meetings N1

No. 2 **30 August 2001**

Review
Flow injection on-line electrothermal atomic absorption spectrometry
E.V. Alonso, A. García de Torres and J.M.C. Pavón (Málaga, Spain) 219

Regular papers
Extraction of metal ions using chemically modified silica gel: a PIXE analysis
P.K. Jal (Sambalpur, Calcutta, India), R.K. Dutta, M. Sudarshan, A. Saha, S.N. Bhattacharyya, S.N. Chintalapudi (Calcutta, India) and B. K. Mishra (Sambalpur, India) 233
The study of PVP/Pd/IrO_2 modified sensor for amperometric determination of sulfur dioxide
G. Shi, M. Luo, J. Xue, Y. Xian, L. Jin (Shanghai, People's Republic of China) and J.-Y. Jin (Gifu, Japan) 241
Flow injection amperometric detection of ascorbic acid using a Prussian Blue film-modified electrode
S.S.L. Castro (Araraquara, Brazil), V.R. Balbo (Ribeirão Preto, Brazil), P.J.S. Barbeira (Belo Horizonte, Brazil) and N.R. Stradiotto (Araraquara, Brazil) 249
Determination of isosorbide dinitrate in arterial plasma, synthetic serum and pharmaceutical formulations by linear sweep voltammetry on a gold electrode
H. Parham and B. Zargar (Ahwaz, Iran) 255
Role of the water as a surface tension modifier for the retention of a series of dansylaminoacids on a β-CD stationary phase
Y.-C. Guillaume (Besancon, France), J.-F. Robert (Besanon, France) and C. Guinchard (Besancon, France) 263

Determination of chromium(VI) and lead(II) in drinking water by electrokinetic flow analysis system and graphite furnace atomic absorption spectrometry
L. Yang, Y.-z. He, W.-e. Gan, M. Li, Q.-s. Qu and X.-q. Lin (Anhui, People's Republic of China) 271
Ultratrace determination of adenine in the presence of copper by adsorptive stripping voltammetry
P.A.M. Farias, A. de Luca Rebello Wagener and A.A. Castro (Rio de Janeiro, Brazil) 281
DNA migration regimes in hydrodynamic chromatography and slalom chromatography: evidence for a transition
E. Peyrin, C. Caron, C. Garrel, A. Ravel, A. Villet, C. Grosset and A. Favier (La Tronche, France) . . . 291
Calixazacrown ethers for copper(II) ion-selective electrode
S.J. Park (Seoul, South Korea), O.J. Shon, J.A. Rim, J.K. Lee, J.S. Kim (Nonsan, South Korea), H. Nam and H. Kim (Seoul, South Korea) 297
Differential pulse anodic stripping voltammetric determination of lead(II) with a 1,4-bis(prop-2′-enyloxy)-9,10-anthraquinone modified carbon paste electrode
M.F. Mousavi, A. Rahmani (Tehran, Iran), S.M. Golabi (Tabriz, Iran), M. Shamsipur (Kermanshah, Iran) and H. Sharghi (Shiraz, Iran) 305
Quercetin immobilized on silica gel as a solid phase reagent for tin(IV) determination by using the sorption-spectroscopic method
O.A. Zaporozhets, L.S. Ivanko, I.V. Marchenko, E.V. Orlichenko and V.V. Sukhan (Kiev, Ukraine) . . . 313
A spectrophotometric study on the interaction of neutral red with double-stranded DNA in large excess
C.Z. Huang, Y.F. Li and P. Feng (Chongqing, People's Republic of China) 321
Sensitive determination of dopamine on poly(aminobenzoic acid) modified electrode and the application toward an experimental Parkinsonian animal model
F. Xu, M. Gao, L. Wang, G. Shi, W. Zhang, L. Jin (Shanghai, People's Republic of China) and J. Jin (Gifu, Japan) 329
A study of a bio-mimetic recognition material for the BAW sensor by molecular imprinting and its application for the determination of paracetamol in the human serum and urine
Y. Tan, Z. Zhou, P. Wang, L. Nie and S. Yao (Changsha, People's Republic of China) 337
Subspeciation of NiS in sulfidic nickel by carbon paste electrode voltammetry
M. Tian, Y.N. He and J.L. Wong (Louisville, KY, USA) 349
Electrochemical behaviour of 3,8-difluorobenzo[c]cinnoline at mercury electrode
Z. Durmuş, A.O. Solak, S. Durmuş and E. Kiliç (Ankara, Turkey) 357
Derivative spectrophotometric method for determination of acidity constants of single step acid-base equilibria
G.V. Popović, L.B. Pfendt and V.M. Moskovljević (Belgrade, Yugoslavia) 363
Chemometric and statistical analysis of polyoxometalate interaction with lanthanide(III) ions
G. Meinrath (Passau, Freiberg, Germany), S. Lis, S. But and M. Elbanowski (Poznan, Poland) 371
Continuous flow system for the determination of trace boron in iron and steel utilizing in-line preconcentration/separation by Sephadex column coupled with fluorimetric detection
T. Yamane, Y. Kouzaka and M. Hirakawa (Kofu, Japan) 387
Aluminum electrode modified with manganese hexacyanoferrate as a chemical sensor for hydrogen peroxide
A. Eftekhari (Tehran, Iran) 395
A new flow cell design for chemiluminiscence analysis
P. Campíns-Falcó, L.A. Tortajada-Genaro and F. Bosch-Reig (Burjassot, Spain) 403
Selective preconcentration, separation and speciation of ferric iron in different samples using *N*,*N*′-bis(2-hydroxy-5-bromo-benzyl)1,2 diaminopropane
D. Kara and M. Alkan (Balıkesir, Turkey) 415
Multisensor system on the basis of an array of non-specific chemical sensors and artificial neural networks for determination of inorganic pollutants in a model groundwater
A. Rudnitskaya (St. Petersburg, Russia), A. Ehlert (Braunschweig, Germany), A. Legin, Y. Vlasov (St. Petersburg, Russia) and S. Büttgenbach (Braunschweig, Germany). 425

Announcements
2002 Winter Conference on Plasma Spectrochemistry: Scottsdale Arizona 6–12 January 2002 433
9th International Conference on Flow Analysis (FIA IX): Geelong Victoria Australia 10-14 February 2003 . . 435

Calendar of forthcoming meetings N7

No. 3 **13 September 2001**

Regular papers

Comparison of sample preparation methods based on proteolytic enzymatic processes for Se-speciation of edible mushroom (*Agaricus bisporus*) samples
Z. Stefánka, I. Ipolyi, M. Dernovics and P. Fodor (Villányi út, Hungary) 437

Determination of hardness in tapwater and upland soil extracts using a long-term stable divalent cation selective electrode based on a lipophilic acrylate resin as a membrane matrix
M. Numata, K. Baba, A. Hemmi, H. Hachiya, S. Ito (Tokyo, Japan), T. Masadome (Fukuoka, Japan), Y. Asano, S. Ohkubo (Aomori, Japan), T. Gomi (Hyogo, Japan), T. Imato (Fukuoka, Japan) and T. Hobo (Tokyo, Japan). 449

Voltammetric behavior of vitamin B_2 on the gold electrode modified with a self-assembled monolayer of L-cysteine and its application for the determination of vitamin B_2 using linear sweep stripping voltammetry
W. Qijin, Y. Nianjun, Z. Haili, Z. Xinpin and X. Bin (Huangshi, People's Republic of China) 459

Liquid–liquid extraction study of tellurium(IV) with *N*-*n*-octylaniline in halide medium and its separation from real samples
B.M. Sargar and M.A. Anuse (Kolhapur, India) 469

Determination of trace hydrazine by differential pulse voltammetry using magnetic microspheres
M. Yang and H.L. Li (Lanzhou, People's Republic of China) 479

Determination of phase transition temperatures of liquid crystals by a light scattering method
T. Tsuji, K. Kubo, A. Mori and Y. Nishimura (Fukuoka, Japan) 485

Formation of halide reactant ions and effects of excess reagent chemical on the ionization of TNT in ion mobility spectrometry
K.A. Daum, D.A. Atkinson and R.G. Ewing (Idaho Falls, ID, USA) 491

A simple vapour phase decomposition (VPD) of quartz powder in a polypropylene vessel and determination of phosphorus by spectrophotometry
S. Thangavel, K. Dash and S.C. Chaurasia (Hyderabad, India) 501

Screening potential of solid-phase extraction and solid surface room temperature fluorimetry for polycyclic aromatic hydrocarbons in water samples
J.L. Whitcomb and A.D. Campiglia (Fargo, ND, USA). 509

Rapid aqueous sample extraction of VOCs: effect of physical parameters
R.W. Current, M.J. Meyer and A.J. Borgerding (Grand Forks, ND, USA) 519

Micellar-enhanced photochemically induced fluorescence detection of chlorophenoxyacid herbicides. Flow injection analysis of mecoprop and 2,4-dichlorophenoxyacetic acid
A.M. García-Campaña (Granada, Spain), J.-J. Aaron (Paris, France) and J.M. Bosque-Sendra (Granada, Spain) 531

Investigation on sorption equilibria of Mn(II), Cu(II) and Cd(II) on a carboxylic resin by the Gibbs–Donnan model
R. Biesuz, M. Pesavento, G. Alberti and F.D. Riva (Pavia, Italy) 541

Dynamic surface tension analysis of dodecyl sulfate association complexes
W.W.C. Quigley (Seattle WA, USA), A. Nabi (Quetta, Pakistan), B.J. Prazen (Seattle WA, USA), N. Lenghor, K. Grudpan (Chiang Mai, Thailand) and R.E. Synovec (Seattle WA, USA) 551

Isolation of water-soluble organic matter from atmospheric aerosol
B. Varga, G. Kiss, I. Ganszky, A. Gelencsér and Z. Krivácsy (Veszprém, Hungary) 561

Comparison of pyrolysis-mass spectrometry with high performance liquid chromatography for the analysis of vancomycin in serum
A. Ghassempour (Tehran, Iran), M.K. Darbandi and F.S. Asghari (Tabriz, Iran). 573

Fluoride electrode with LaF_3-membrane and simple disjoining solid-state internal contact
M. Bralić, N. Radić, S. Brinić and E. Generalić (Split, Croatia) 581

Investigations on the conditional kinetic and thermodynamic stability of aquatic humic substance–metal complexes by means of EDTA exchange, ultrafiltration and atomic spectrometry
J. Van den Bergh, B. Jakubowski and P. Burba (Dortmund, Germany). 587

Custom-made interface between electrothermal vaporiser and inductively coupled plasma-mass spectrometer: determination of nickel by isotope dilution in plant samples
O. Mestek, I. Trešl, R. Koplík, H. Pavelková, M. Suchánek and B. Vaňas (Prague, Czech Republic) . . . 595

Prussian Blue bulk modified screen-printed electrodes for H_2O_2 detection and for biosensors
M.P. O'Halloran, M. Pravda and G.G. Guilbault (Cork, Ireland) 605
Determination of cadmium and lead in biological samples by Zeeman ETAAS using various chemical modifiers
O. Acar (Ankara, Turkey) 613
Kinetic fluorimetric study of the oxidation reaction of folinic acid (leucovorin) with potassium permanganate. Determination in human urine
I. Durán Merás, A. Espinosa-Mansilla, M.J. Rodríguez Gómez and F. Salinas López (Badajoz, Spain) . . 623
High-performance liquid chromatographic assay of fleroxacin in human serum using fluorescence detection
P. Djurdjevic (Kragujevac, Yugoslavia), M. Jelikic-Stankov and A. Laban (Belgrade, Yugoslavia) 631
Sorption behaviour of uranium(VI) with *N,N*-dibutyl-*N'*-benzoylthiourea Impregnated in Amberlite XAD-16
M. Merdivan, M.Z. Düz and C. Hamamci (Diyarbakır, Turkey). 639
PVC membrane ion selective electrode for the determination of pentachlorophenol in water, wood and soil using tetrazolium pentachlorophenolate
M.N. Abbas, G.A.E. Mostafa and A.M.A. Homoda (Cairo, Egypt). 647

No. 4 **31 October 2001**

Review
Analysis of selenium species by capillary electrophoresis
K. Pyrzyńska (Warsaw, Poland). 657

Regular papers
Determination for micro amounts of nucleic acids by a resonance light scattering technique with dequalinium chloride
Z.-P. Li (Beijing, Baoding, People's Republic of China), K.-A. Li and S.-Y. Tong (Beijing, People's Republic of China) 669
Focused-microwave-assisted reaction in flow injection spectrophotometry: a new liquid–vapor separation chamber for determination of reducing sugars in wine
A.F. Oliveira (Mogi das Cruzes, Brazil), O. Fatibello-Filho and J.A. Nóbrega (São Carlos, Brazil). 677
Chronoamperometric determination of paracetamol using an avocado tissue (*Persea americana*) biosensor
O. Fatibello-Filho, K.O. Lupetti (São Carlos, Brazil) and I.C. Vieira (Cuiaba, Brazil) 685
Voltammetric studies of the effect of Cisplatin-liposome on Hela cells
Y.-x. Ci, Q. Zhai, S. Wang, W.-b. Chang, C.-y. Zhang, H. Ma, D.-y. Chen (Beijing, China), M.-z. Zhao and S.-w. Hu (Kunming, China) 693
Evaluation of immobilized redox indicators as reversible, in situ redox sensors for determining Fe(III)-reducing conditions in environmental samples
B.D. Jones, J.D. Ingle and Jr (Corvallis, OR, USA) 699
Catalytic spectrophotometric determination of ruthenium by flow injection method
A.A. Ensafi, M.A. Chamjangali and H.R. Mansour (Isfahan, Iran) 715
Chromatographic and spectral analytical data for the determination of benzodiazepine abuse in methadone maintenance program
S. Diallo (Villejuif, France), E. Bugni, F. Senhadj-Raoul, S. Gasdeblay, D. Marot (France), M.C. Dessalles and G. Mahuzier (Villejuif, France). 721
Comparisons of sorption of aquatic humic matter by DAX-8 and XAD-8 resins from solid-state ^{13}C NMR spectroscopy's point of view
J. Peuravuori (Turku, Finland), P. Ingman (Oulu, Finland), K. Pihlaja and R. Koivikko (Turku, Finland) . 733
On-line determination of antimony(III) and antimony(V) in liver tissue and whole blood by flow injection – hydride generation – atomic absorption spectrometry
Y. Petit de Peña, O. Vielma, J.L. Burguera, M. Burguera, C. Rondón and P. Carrero (Merida, Venezuela). 743
Rapid aqueous sample extraction of volatile organic compounds: effect of sample matrix and analyte properties
M.J. Meyer, M.F. Gress and A.J. Borgerding (Grand Forks, ND, USA). 755
Determination of trace amounts of heavy metals in arctic ice core samples using inductively coupled plasma mass spectrometry
G. Tao, R. Yamada (Niigata, Japan), Y. Fujikawa, A. Kudo (Osaka, Japan), J. Zheng, D.A. Fisher and R.M. Koerner (Ottawa, Canada) 765

Tetraphenylborate doped polyaniline based novel pH sensor and solid-state urea biosensor
P.C. Pandey and G. Singh (Varanasi, India). 773
Spectrophotometric determination of molybdenum based on charge transfer complex in PVA medium
J. Di and Y. Tu (Jiangsu, People's Republic of China) 783
Simultaneous determination of nitrite and nitrate by normal phase ion-pair liquid chromatography
S.B. Butt, M. Riaz (Islamabad, Pakistan) and M.Z. Iqbal (Lahore, Pakistan) 789
Simultaneous determination of gallium(III) and indium(III) by derivative spectrophotometry
V.K. Singh, N.K. Agnihotri, H.B. Singh and R.L. Sharma (New Delhi, India) 799
Application of solid-phase microextraction for the determination of organophosphorous pesticides in aqueous samples by gas chromatography with flame photometric detector
Z.-w. Yao, G.-b. Jiang, J.-m. Liu and W. Cheng (Beijing, People's Republic of China). 807
Determination of ^{187}Os in molybdenite by ICP-MS with neutron-induced ^{186}Os and ^{188}Os spikes
W. Qu, A. Du and D. Zhao (Beijing, People's Republic of China) 815
Determination of anti-canine IgG using a continuous filtration/dissolution system based on the formation of a high-molecular size immunocomplex
F.D. Reyes, C. Arce, A. Moreno, J.M. Fernández Romero and M.D. Luque de Castro (Córdoba, Spain) . 821
Development of piezoelectric immunosensors for measurement of albuminuria
I. Navrátilová, P. Skládal (Brno, Czech Republic) and V. Viklický (Prague, Czech Republic) 831
Electrothermal volatilization of aluminum as 1-phenyl-3-methyl-4-benzoylpyrazolone[5] chelate for gaseous sample introduction in ICP-AES
Y. Wu, B. Hu, T. Peng, Z. Liao and Z. Jiang (Wuhan, PR China) 841
Determination of dysprosium and europium in sheep faeces by graphite furnace and tungsten coil electrothermal atomic absorption spectrometry
J.C.J. Silva (São Carlos, Brazil), E.E. Garcia (Umuarama, Brazil), A.R.A. Nogueira and J.A. Nóbrega (São Carlos, Brazil) 847
Gold electrodes from compact discs modified with platinum for amperometric determination of ascorbic acid in pharmaceutical formulations
R.A.A. Muñoz, R.C. Matos and L. Angnes (São Paulo, Brazil) 855
A multicommutation-based flow system for multi-element analysis in pharmaceutical preparations
F.R.P. Rocha (São Carlos, Brazil), P.B. Martelli and B.F. Reis (Piracicaba, Brazil). 861
Detection of trichinosis using TSM immunosensor
F. He, L. Zhang and H. Liu (Changsha, People's Republic of China). 871

No. 5 **13 December 2001**

Special Issue: Papers Presented at the 2nd France-Israel Workshop on Biosensors and Biochips
Grenoble, France, 11–16 December 2000

Editorial 879

Interaction between organophosphorous hydrolase and paraoxon studied by surface chemistry in situ at air–water interface
S.V. Mello, C. Coutures, R.M. Leblanc (Coral Gables, FL, USA), T.-C. Cheng, V.K. Rastogi and J.J. DeFrank (Aberdeen Proving Ground, MD, USA) 881
A comparative physical study of two different hydrophilic synthetic latex matrices for the construction of a glucose biosensor
S. Cosnier, S. Szunerits (Grenoble, France), R.S. Marks, A. Novoa (Beer-Sheva, Israel), L. Puech, E. Perez (Grenoble, France) and I. Rico-Lattes (Toulouse, France). 889
Recombinant single chain antibodies in bioelectrochemical sensors
I. Benhar, I. Eshkenazi, T. Neufeld, J. Opatowsky, S. Shaky and J. Rishpon (Ramat Aviv, Israel). 899
Immobilization and detection of DNA on microfluidic chips
L.M. Shamansky (San Bernardino, CA, USA), C.B. Davis, J.K. Stuart and W.G. Kuhr (Riverside, CA, USA). 909
Multibiosensor based on enzyme inhibition analysis for determination of different toxic substances
V.N. Arkhypova, S.V. Dzyadevych, A.P. Soldatkin, A.V. El'skaya (Kiev, Ukraine), N. Jaffrezic-Renault, H. Jaffrezic and C. Martelet (Ecully, France) 919

Monitoring the specific adsorption of proteins using the electrochemical quartz crystal microbalance electrodes
O.A. Sadik and M.-C. Cheung (Binghamton, NY, USA) 929
Single molecule study of the reaction between DNA and formamide
A.J. Bhattacharyya and M. Feingold (Beer Sheva, Israel) 943
Enhancement of the ionic response of field effect transducers using porous silicon
S. Zairi, C. Martelet, N. Jaffrezic-Renault (Ecully, France), F. Vocanson, R. Lamartine (Villeurbanne, France), R.M'ghaïeth, H. Maaref (Monastir, Tunisia) and M. Gamoudi (Lyon, France) 951
Whole-cell biodetection of halogenated organic acids
M. Tauber, R. Rosen and S. Belkin (Jerusalem, Israel) 959
Controlling membrane permeability with bacterial porins: application to encapsulated enzymes
M. Winterhalter, C. Hilty (Toulouse, France), S.M. Bezrukov (Bethesda, MD, USA; Gatchina, Russia), C. Nardin, W. Meier (Basel, Switzerland) and D. Fournier (Toulouse, France) 965
Immobilization of oligonucleotides on crosslinked poly(vinyl alcohol) for application in DNA chips
C. Preininger (Seibersdorf, Austria) and P. Chiarelli (Pisa, Italy) 973
Comparison by QCM and photometric enzymatic test of the biotin-avidin recognition on a biotinylated polypyrrole
A. Dupont-Filliard, M. Billon, S. Guillerez and G. Bidan (Grenoble, France) 981
Electropolymerisable pyrrole-oligonucleotide: synthesis and analysis of ODN hybridisation by fluorescence and QCM
N. Lassalle, A. Roget, T. Livache, P. Mailley and E. Vieil (Grenoble, France) 993
Inclusion of metal micro-particles into poly(pyrrolylalkylammonium) films containing an enzyme for bioelectrocatalysis: a preliminary study
P. Mailley (Grenoble, France) 1005
A comparison of amperometric screen-printed, carbon electrodes and their application to the analysis of phenolic compounds present in beers
E.A. Cummings, S. Linquette-Mailley (Newtownabbey, UK), P. Mailley, S. Cosnier (Grenoble, France), B.R. Eggins (Newtownabbey, UK) and E.T. McAdams (Grenoble, France). 1015
Antibody-based immobilization of bioluminescent bacterial sensor cells
J.R. Premkumar, O. Lev (Jerusalem, Israel), R.S. Marks, B. Polyak (Beer-Sheva, Israel), R. Rosen and S. Belkin (Jerusalem, Israel) 1029

Calendar of forthcoming meetings N23

No. 6 **24 December 2001**

Regular papers

A sensitive and selective spectrophotometric estimation of catechol derivatives in pharmaceutical preparations
P. Nagaraja, R.A. Vasantha and K.R. Sunitha (Mysore, India) 1039
Copper(II)-selective membrane electrodes based on some recently synthesized mixed aza-thioether crowns containing a 1,10-phenanthroline sub-unit
M. Shamsipur (Kermanshah, Iran), M. Javanbakht, M.F. Mousavi, M.R. Ganjali (Tehran, Iran), V. Lippolis, A. Garau and L. Tei (Monserrato, Italy) 1047
Flow injection chemiluminescence determination of polyhydroxy phenols using luminol–ferricyanide/ferrocyanide system
J. Du, Y. Li and J. Lu (Xi'an, People's Republic of China) 1055
Extraction and spectrophotometric determination of cobalt(II) with isonitroso-5-methyl-2-hexanone
S.B. Jadhav, S.P. Tandel and S.P. Malve (Mumbai, India) 1059
Determination of pharmaceutical dosage forms via diffusion layer titration at an interdigitated microelectrode array
P. Tomčík, M. Krajčíková and D. Bustin (Bratislava, Slovakia) 1065
Determination of lead and mercury in sea water by preconcentration in a flow injection system followed by atomic absorption spectrometry detection
L.R. Bravo-Sánchez, B.S.V. de la Riva, J.M. Costa-Fernández, R. Pereiro and A. Sanz-Medel (Oviedo, Spain) 1071

Creatinine determination in urine samples by batchwise kinetic procedure and flow injection analysis using the Jaffé reaction: chemometric study
P. Campins Falcó, L.A. Tortajada Genaro, S. Meseger Lloret, F. Blasco Gomez, A. Sevillano Cabeza and C. Molins Legua (Valencia, Spain) 1079
Maleic acid–styrene encapsulated silica cation exchanger in high performance liquid chromatography
R. Yang (Beijing, People's Republic of China), S. Jiang and L. Chen (Lanzhou, People's Republic of China) 1091
Flow-injection chemiluminescence determination of chlortetracycline using on-line electrogenerated $[Cu(HIO_6)_2]^{5-}$ as the oxidant
B. Li, Z. Zhang and W. Liu (Xi'an, People's Republic of China) 1097
Electrocatalytic oxidation of benzoyl hydrazine in the presence of 2,2,6,6-tetramethyl-4-hydroxypiperidine-1-oxyl
X. Gong, Y.-k. Zhou and H.-l. Li (Lanzhou, People's Republic of China) 1103
Kinetics of europium(III) transport through a liquid membrane containing HEH(EHP) in kerosene
M. Ma, D. He, Q. Wang and Q. Xie (Changsha, People's Republic of China). 1109
Homogeneous time-resolved fluoroimmunoassay of bensulfuron-methyl by using terbium fluorescence energy transfer
G. Wang (Lanzhou, Dalian, People's Republic of China), J. Yuan (Dalian, People's Republic of China), K. Matsumoto (Tokyo, Japan) and Z. Hu (Lanzhou, People's Republic of China). 1119
Quantitative determination of sulfonamide in meat by liquid chromatography–electrospray-mass spectrometry
M.-R.S. Fuh and S.-A. Chan (Taipei, Taiwan) 1127
Determination of very low levels of dissolved mercury(II) and methylmercury in river waters by continuous flow with on-line UV decomposition and cold-vapor atomic fluorescence spectrometry after pre-concentration on a silica gel-2-mercaptobenzi-midazol sorbent
H. Bagheri and A. Gholami (Tehran, Iran) 1141
Enzymatic determination of phenols using peanut peroxidase
N.A. Bagirova, T.N. Shekhovtsova (Moscow, Russia) and R.B. van Huystee (London, Canada) 1151
Flow-injection chemiluminescence determination of epinephrine in pharmaceutical preparations using raw apple juice as enzyme source
J. Michałowski and P. Hałaburda (Białystok, Poland) 1165
Elimination profiles of flurbiprofen and its metabolites in equine urine for doping analysis
C. Tsitsimpikou, M.-H.E. Spyridaki (Maroussi, Greece), I. Georgoulakis, D. Kouretas (Volos, Greece), M. Konstantinidou (Thessaloniki, Greece) and C.G. Georgakopoulos (Maroussi, Greece) 1173
Flow-injection method for the determination of serine using immobilized enzyme
M. Yaqoob and A. Nabi (Quetta, Pakistan). 1181
The use of microorganisms with broad range substrate utilisation for the ferricyanide-mediated rapid determination of biochemical oxygen demand
K. Catterall, K. Morris, C. Gladman, H. Zhao (Gold Coast, Australia), N. Pasco (Canterbury, New Zealand) and R. John (Gold Coast, Australia). 1187
Hapten immobilization for antibody sensing using a dynamic modification protocol
D.R. Fry and D.R. Bobbitt (Fayetteville, AR, USA) 1195
Adsorption stripping voltammetry of phenol at Nafion-modified glassy carbon electrode in the presence of surfactants
H. Yi (Wuhan, Jingzhou, People's Republic of China), K. Wu, S. Hu (Wuhan, People's Republic of China) and D. Cui (Beijing, People's Republic of China) 1205
Electrochemical ELISA for the detection of cucumber mosaic virus using *o*-pheneylenediamine as substrate
W. Sun, K. Jiao and S. Zhang (Shandong, PR China). 1211
Electrocatalytic response of norepinephrine at a thiolactic acid self-assembled gold electrode
Q. Wang and N. Li (Beijing, People's Republic of China). 1219
Application of artificial neural networks as a technique for interference removal: kinetic–spectrophotometric determination of trace amounts of Se(IV) in the presence of Te(IV)
G. Absalan, A. Safavi and S. Maesum (Shiraz, Iran) 1227

Instructions to authors 1235
Volume Contents 1237
Author Index. 1247
Subject Index. 1251
Calendar of forthcoming meetings N27